



FIG.1



000250 SET 0500

2/9

FIG.2



OBLON ET AL (703) 413-3000

FIG.3






FIG.4




000000: 521650

FIG.5



DOCSO: 56762560

FIG.6

[illegible]

000050" SET 62560

FIG.7





FIG.8



Station	Time	Wind	Temp	Humidity	Pressure	Clouds	Remarks
1000	0000	000	10.0	100	1013.0	000	Clear
1000	0100	000	10.0	100	1013.0	000	Clear
1000	0200	000	10.0	100	1013.0	000	Clear
1000	0300	000	10.0	100	1013.0	000	Clear
1000	0400	000	10.0	100	1013.0	000	Clear
1000	0500	000	10.0	100	1013.0	000	Clear
1000	0600	000	10.0	100	1013.0	000	Clear
1000	0700	000	10.0	100	1013.0	000	Clear
1000	0800	000	10.0	100	1013.0	000	Clear
1000	0900	000	10.0	100	1013.0	000	Clear
1000	1000	000	10.0	100	1013.0	000	Clear
1000	1100	000	10.0	100	1013.0	000	Clear
1000	1200	000	10.0	100	1013.0	000	Clear
1000	1300	000	10.0	100	1013.0	000	Clear
1000	1400	000	10.0	100	1013.0	000	Clear
1000	1500	000	10.0	100	1013.0	000	Clear
1000	1600	000	10.0	100	1013.0	000	Clear
1000	1700	000	10.0	100	1013.0	000	Clear
1000	1800	000	10.0	100	1013.0	000	Clear
1000	1900	000	10.0	100	1013.0	000	Clear
1000	2000	000	10.0	100	1013.0	000	Clear
1000	2100	000	10.0	100	1013.0	000	Clear
1000	2200	000	10.0	100	1013.0	000	Clear
1000	2300	000	10.0	100	1013.0	000	Clear

FIG.9

